2017 Clearance Sale

SunWize
Age of Power Autonomy

SunWize Power and Battery has overstock and older inventory that needs to find a new home. All items are limited to stock on hand and are subject to prior sale. All Sales are final, not returnable. $250 Minimum order

Updated 5-16-17

Inverters

Schneider Electric 600VDC , 80 Amp charge controller
SW # 001614
Built in 2014
Clearance priced at $800 each
6 available

Other Schneider / Xantrex Items Available

Other Schneider / Xantrex Items available							
MFR Part #	Qty	MFR DATE	SunWize part #	Item Description	Discounted Price/Unit		
RNW865-1032	6		001614	Charge Controller, 600VDC Input, 24-48VDC Output, **80A**, MPPT, LVD, SCH RNW8651032 http://dealer.sunwize.com/index.cfm?page=products&productid=271	$	800.00	
RNW865-1058	1		016179	Schneider Conext ComBox Monitoring http://dealer.sunwize.com/index.cfm?page=products&productid=3765	$	214.00	
RNWC35	1	8/15/2016	001626	C-35, Charge Controller, 12-24VDC, 35A, PWM, LVD, SCH RNWC35 http://dealer.sunwize.com/index.cfm?page=products&productid=275	$	75.00	
RNWC12	1	2/12/2016	001625	C-12, 12A C-Series Charge/Lighting/Load Controller http://dealer.sunwize.com/index.cfm?page=products&productid=274	$	44.00	
84-2031-00	1		001994	LinkPRO Battery Monitor http://dealer.sunwize.com/index.cfm?page=products&productid=448	$	99.00	
82-0123-01	2		002007	15A Digital Echo Charger AC Charger with Wiring Kit - 12VDC	$	42.00	
804-1220-02	2	2013-2014	003413	AC Battery Charger, 20A, 90-265VAC, 12VDC, XAN TRUECharge2 http://dealer.sunwize.com/index.cfm?page=products&productid=843	$	140.00	
808-0232-01	2		003416	Battery Temperature Sensor for TC/BC/XC	$	15.00	
809-0921	1		015602	Xanbus system control panel	$	99.00	
RNW865-1155	1	SOLD	001590	XW Configuration Tool http://dealer.sunwize.com/index.cfm?page=products&productid=256	$	150.00	SOLD
809-0921	5		001596	XW Connection Kit http://dealer.sunwize.com/index.cfm?page=products&productid=258	$	300.00	

Breakers!

Schneider #	SWPB#	Description	Stnd Price	Clearance	Qty
RNW8651070	001603	60A Panel Mount – 160VDC	$37.50	$25	400
RNW8651075	001602	80A Panel Mount – 160VDC	$38.33	$26	197
RNW8651075	014044	100A, 125VDC	$42	$28	23

Inverters

SunWize part # 001945, Xantrex 806-1220, 2000W-12V Prowatt sine wave inverter, Qty 11 available, **Contact us for Clearance Price**

http://dealer.sunwize.com/index.cfm?page=products&productid=442

Wind Turbine

SWPB# 003717, Southwest Wind WH500-10-48V, 3000W 48V wind turbine, New in the Crate, Your price is $ 2,000

MNPV2-MC4



The Pre-wired MNPV2 combiner is rated for outdoor use.
Designed for combining high voltage strings using 10mm x 38mm fuses up to 60A total. The use of touch safe din rail mount fuse holders and fuses allow operation up to 600 Volts. The MNPV2 is rated for up to 60 amps.
Fast, Convenient hook up with industry standard connectors
All aluminum powder coated housing that won't rust
Flip up cover that can stay in the open position during installation
PV Negative bus bar with #6 and 1/0 connections
Chassis ground bus bar with #6 and 1/0 connections
Standard DIN rail with (x) 30 amp touch safe fuseholders. 15 amp fuses included.
Tin plated copper bus bar that connect PV Plus outputs
Dead front cover snaps into place after wiring is complete for safety
Connectors for PV in and PV out on bottom, additional knockouts on bottom and sides

Model	List Price	Qty	Clearance Price	SWPB#
MNPV2-MC4	**$189.00**	1	$84	015019

MNPV4HV-DISCO 3R-DLX



The MNPV4HV-DISCO 3R-DLX's red handled is LOCKABLE IN THE OFF POSITION!

Type 3R aluminum enclosure (no rust, won't turn to dust)
90° C terminals
See thru deadfront & color coded busbar guards included
Meets 2014 NEC 690.12
Current Rating - 80A
Output Circuits - 1
Max. Output Wire Size - 1/0
Load Break Rated
Four Fuseholders (MNTS) installed
Four 15a/600v fuses installed
Works with the Birdhouse
Warranty - 5 yrs.
Listed by ETL for US & Canada

Model	List Price	Qty	Clearance Price	SWPB#
MNPV4HV-DISCO 3R-DLX	**$589.00**	3	$250 each	014937

MNDC125-L

Main breaker on Left

White powder coated aluminum with 125A/125VDC breaker and 5 dinrail breaker slots or 3 panel mount breaker slots.

Model	List Price	Qty	Clearance Price	SWPB#
MNDC125	**$220.00**	9	$99	006260

NOTTAGUTTER

FEATURES: Environmental Rating - Type 1 (Indoor)
Install up to four E-Panels with each Nottagutter.
The Nottagutter accepts two E-Panels on top and two E-Panels bottom or on the sides
Includes one 2 pole 60 amp bypass breaker and two 2 pole 60 amp inverter breakers
Accommodates up to 4 120v inverters like the Outback FX or 2 of the 240v inverters like the Magnum PAE series as shipped and can be expanded to 8 120v inverters or 4 240v inverters
Plus and minus busbars
Optional Din Rail bracket to support 6 additional Din Rail breakers
Locations for 2 panel mount breakers from 5 amp to 250 amp. See accessories below
Main Breaker Current Rating - 250A
Number of spaces - 12
Bus bar rating - 180A
Environment type - 1 (Indoor)
Max. Wire Size - 4/0
Max. AC Voltage - 277VAC
Max. DC Voltage - 300VDC
Warranty - 5 yrs.
Listed by ETL for US & Canada

Model	List Price	Qty	Clearance Price	SWPB#
NOTTAGUTTER	**$699.00**	1	$345	014829

MNE250XW-SINGLE

Features: Inverter battery breaker, 2 separate 60 amp AC inputs for generator and utility
60 amp AC bypass switch , Knockouts for up to seven din rail mount DC DCGFP63 or AC breakers and 12 panel mount or DC-GFP80 breakers
Massive tin plated copper bus bars directly connect to the XW's battery terminals
Bus bars for AC inputs , AC output neutral, ground, PV + in, PV- in, Bat +, Bat-
500 amp shunt (MNSHUNT) , Metal dead front behind the reversible door
Charge controllers mount to either side or both sides at once for dual controllers
AC bypass can be configured as input & output on/off as well as AC bypass.(Note: The XW 60 amp controller can mount on the Right side only due to their isolated communications compartment)
The XW MPPT controller requires no mounting bracket. FM60, FM80 and Classic require Right or Left E-Panel charge control mounting brackets. Right hand bracket furnished standard.
Main Breaker Current Rating – 250 ,Number of spaces - 19
Environmental Rating - Type 1 (Indoor)
Max. Wire Size - 4/0 AWG, Max. AC Voltage - 240VAC
Max. DC Voltage - 300VDC, Listed by ETL for US & Canada
Colored to Match OLD XW not New XW+



Model	List Price	Qty	Clearance Price	SWPB#
MNE250XW-SINGLE	**$1100.00**	1	$505	006299

MNBE-B

Battery Enclosure with locking door and one shelf. Holds eight group 31 or sealed golf cart sized batteries. Gray powder coated steel. Two cabinets can be stacked horizontal or vertical for expansion. Ships knocked down in two cartons. Battery are not included.

Model	List Price	Qty	Clearance Price	SWPB#
MNBE-B	**$660.00**	1	$290	006244

MNBE-C

MNBE-C Battery Enclosure with locking door and three shelves. Holds twelve group 31 or sealed golf cart sized batteries and even the 14" tall PVX-3050T from Concorde. MNBE-C battery enclosure accepts MNEDC175 or 250 breakers. Gray powder coated steel. Two cabinets can be stacked horizontal for expansion. Enclosure size: 36.5" wide x 16" deep x 55" tall/261 Lbs including pallet (freight truck only)

Crated and Ready to go.

Model	List Price	Qty	Clearance Price	SWPB#
MNBE-C	**$999.00**	1	$440	006246

MNBE-C8D

MNBE-C8D Battery Enclosure with locking door and four shelves. Holds four 8D batteries. Gray powder coated steel. Two cabinets can be stacked horizontal for expansion. Enclosure size: 36.5" wide x 16" deep x 55" tall/261 Lbs including pallet (freight truck only)

Model	List Price	Qty	Clearance Price	SWPB#
MNBE-C8D	**$1060.00**	1	$467	015188

MNBE-CL16

MNBE-CL16 Battery Enclosure with locking door and two shelves. Holds eight sealed L-16 batteries. Gray powder coated steel. Two cabinets can be stacked horizontal for expansion. Enclosure size: 36.5" wide x 16" deep x 55" tall/261 Lbs including pallet (truck freight only)

Type 1 enclosure
Warranty - 5 yrs.
Listed by ETL for US & Canada
Made in the USA

Model	List Price	Qty	Clearance Price	SWPB#
MNBE-CL16	**$969.00**	1	$430	006338

MNBE-D

Our Best Value! Battery Enclosure with locking door and two shelves. MNBE-D holds 8 GVX3050T or 8 golf cart or 8 group 31 batteries. With the optional third shelf, the MNBE-D holds 12 group 31 batteries. MNBE-D battery enclosure accepts MNEDC175 or 250 breakers. Gray powder coated steel. The image shows 8 GVX3050T batteries (not included). Ships knocked down in two boxes.

Model	List Price	Qty	Clearance Price	SWPB#
MNBE-D	**$739.00**	4	$379	006298

MNBE-D3R

An aluminum outdoor enclosure which is identical to the MNBE-D. This enclosure is not listed as a 3R enclosure but it is built to 3R standards, so while it is a listed enclosure it is not officially listed for outdoor use.

Rain tight white powder coated aluminum battery enclosure with locking door and two shelves. This unit is vented. MNBE-D holds 8 PVX3050T or 8 golf cart or 8 group 31 batteries. Ships knocked down in two boxes.

Model	List Price	Qty	Clearance Price	SWPB#
MNBE-D3R	**$949.00**	1	$418	006322

MNBE-E

Battery Enclosure with locking door. Holds eight L16 batteries on two shelves. Holds 12 group 31 or golf cart batteries with additional shelf. Gray powder coated steel. Two cabinets can be stacked horizontal for expansion. Use the "Large back up kits" to have 2 shelves of batteries plus inverter & charge controller on the top 3rd shelf. Ships knocked down in two cartons.

Model	List Price	Qty	Clearance Price	SWPB#
MNBE-E	**$839.00**	1	$370	006312

MNSHELF

Extra shelf for MNBE-C, MNBE-D, or MNBE-E

Model	List Price	Qty	Clearance Price	SWPB#
MNSHELF	**$89.00**	5	$32	006325

MNPV16

Gray aluminum type 3R rainproof enclosure with insulating dead front, will accept 16 - 600 VDC fuse holders. Includes 21 position PV negative bus bar, 18 position ground bus bar, and 240 amp Plus and Minus busbars. **Breakers/fuse holders sold separately.** Type 3R environmental rating
Warranty - 5 yrs.
Listed by ETL for US & Canada
Made in the USA

Model	List Price	Qty	Clearance Price	SWPB#
MNPV16	**$399.00**	1	$146.30	006306

MNSPD-600

The MidNite Solar 600V Surge Protector Device (MNSPD) is a Type 2 device per UL1449 rev3 and has an outdoor rating of 4X for outdoor use. Protection for grid-tie PV combiners and inverter input circuits.

Model	List Price	Qty	Clearance Price	SWPB#
MNSPD-600	**$119.00**	2	$53	006330

LA602DC

Specifications	
Type of Design	Silicon Oxide Varistor
Maximum number of surges	Unlimited
Response time one milliamp test	5 nanoseconds
Response time to clamp 10,000 amps	10 nanoseconds
Response time to clamp 50,000 amps	25 nanoseconds
Maximum Current	LA602DC 100,000 amps

Model	List Price	Qty	Clearance Price	SWPB#
LA602DC	**$70**	8	$49	004000

PSX-240

PSX-240 (Auto former with Housing)

The OutBack PSX-240 (6 kVA) autotransformer can be used for 120 to 240 Vac step-up or 240 to 120 Vac step-down applications, generator balancing, general split-phase output balancing, or balancing the outputs of series-stacked inverters. Incorporating a transformer with 120 Vac / 30 Aac primary and secondary side, a temperature-activated cooling fan and a 25 Aac dual-pole breaker in a steel enclosure, the PSX-240 is ready to install in your custom application. Use for 120/240 Vac, 60 Hz systems only.

Model	List Price	Qty	Clearance Price	SWPB#
PSX-240	**$699.00**	2	$400	006081

FN-DC, FlexNet DC

OutBack Power's FLEXnet DC is the ultimate DC system monitoring device. Our integrated networked communications make valuable, usable data available from your system and viewable on an OutBack MATE communications device, providing you with the critical answers about your system's health, performance and efficiency.

Model	List Price	Qty	Clearance Price	SWPB#
FN-DC	**$379.00**	13	$ 200	006118

SRE-BE1

Product Overview
Smart RE Outdoor Battery Enclosure. The Smart RE battery enclosure holds four 31-series sealed batteries, including the new "tall" 31 series batteries.

Model	List Price	Qty	Clearance Price	SWPB#
SRE-BE1	**$960**	1	$ 250	006134

Iota Battery Chargers

SW #	Model	Description	Qty	Price
`003378	DLS-240-55	55A DLS Series AC Charger - 13.6VDC 240VAC	2	$ 177.75
`003388	DLS27-15	15A DLS Series AC Charger - 27V	1	$ 119.25
`003403	DLS-30	30A DS Series Battery Charger 12V	12	$ 87.00
`003427	DLS-75	75A DLS Series Battery Charger - 12V	16	$ 157.50
`003428	DLS-90	90A DLS Series Battery Charger - 12V	9	$ 168.00
`013955	DLS-240-27-40	AC Battery Charger, 40A, 216-264VAC, 24VDC,IOT DLS-240-27-40	1	$ 266.25

Steca Charge Controller

SW #	Model	Description	Qty	Price
019925	PR1010	12V/24V, 10 Amp Charge Controller	40	$ 26.67 each

SunWize

Age of Power Autonomy

Contact us today

866-827-6527

www.sunwizepower.com

https://www.sunwize.com/get-in-touch/