



Premium Wide Battery Enclosures: WF Series



Wide battery enclosures to accommodate larger back panels for more support equipment. NEMA3R rated, white powder-coated or mill-finished aluminum enclosure feature hinged, key-lockable doors with dust covers. Passive cooling ventilation with bottom inlet vents and rear-louver outlet vents. The 9" deep cabinets feature: (4) bottom ½" electrical knockouts. The 16" deep cabinets feature: (2) rear ½" and (2) rear 1" electrical knockouts. Standard PRE Control Panels do <u>not</u> fit in WF-Series.

SWPB Part #	Model	Finish	Quantity x Battery Group	Locking Feature	H x W x D (inches)	Weight (lbs.)
<u>004199</u>	WF2	Powder-coated	2 x G31	Keyed latch	30.0 x 27.0 x 9.25	36
<u>004138</u>	WF4	Powder-coated	4 x G31	Keyed latch	30.0 x 27.0 x 16.0	46

Bracket Accessory Options (Sold separately)

SWPB Part#	Model	Finish	Description	H x W x D (inches)	Weight (lbs.)
<u>004386</u>	F-BKTSET	Power-coated	Pole Mounting Bracket	2 x 2 x 13	2.0
<u>004373</u>	PD-MTGBKTSET	Mill-finished	Pad Mounting Bracket	1.6 x 1.6 x 20	4.0

Optional WF-Series Power Electronics Mounting Panels



Panels are made of 0.080" MIN brushed aluminum with mounting holes aligned for enclosure's interior studs.

SWPB Part#	Model	Description	Dimensions H x W (inches)	Weight (lbs.)
<u>007877</u>	WF-RP-D	Rear panel	24.0 x 16.0	2.5



Extra Space Available For Power Electronics



SunWize[®] Power & Battery Enclosure Data Sheet







Wide F2 (WF2) Aluminum Enclosure

WF2 Enclosure with two G31 batteries



The SunWize Power & Battery WF2 alumiunum enclosure features a white powder-coated finish and a NEMA3R rating for indoor or outdoor use. The WF2 enclosure can mount on a flat vertical surface or on a variety of pole sizes. It also features hinged, key-lockable doors with dust covers on locks and gasketed door. Passive cooling ventilation. Four bottom ½" electrical knockouts.

The WF2 enclosure can hold a variety of battery sizes with plenty of space left over for controls equipment on its backplate. The rear mounted backplate measures 24" x 16", giving it significantly more room than our other standard F-Series enclosures.

30.0"H x 27.0"W x 9.25"D


36lbs

FEATURES:

- NEMA3R Aluminum Enclosure
- Four 1/2" Knockouts
- Key-lockable door
- Pole or surface mounted

WF2 enclosure battery quantities

Group Size / BCI No.	Dimensions (L x W x H) inches	Quantity
34	10.00" x 6.88" x 7.63"	2
24	11.13″ x 6.60″ x 9.25″	2
27	12.00" x 6.63" x 9.06"	2
31	12.9″ x 6.75″ x 9.27″	2
Oversized G31	13.39″ x 6.81" x 11.10"	2
GC2	10.38" x 7.13" x 10.88"	2





SunWize[®] Power & Battery **Enclosure Data Sheet**







Wide F4 (WF4) Aluminum Enclosure

WF4 Enclosure with four G31 batteries



FEATURES:

- NEMA3R Aluminum Enclosure
- Two 1/2" Knockouts and Two 1"
- Knockouts

ī

- Key-lockable door
- Pole or surface mounted

The SunWize Power & Battery WF4 alumiunum enclosure features a white powder-coated finish and a NEMA3R rating for indoor or outdoor use. The WF4 enclosure can mount on a flat vertical surface or on a variety of pole sizes. It also features hinged, key-lockable doors with dust covers on locks and gasketed door. Passive cooling ventilation. Two rear 1/2" electrical knockouts and two rear 1" electrical knockouts.

The WF4 enclosure can hold a variety of battery sizes with plenty of space left over for controls equipment on its backplate. The rear mounted backplate measures 24" x 16", giving it significantly more room than our other standard F-Series enclosures.

30.0"H x 27.0"W x 16.0"D

46lbs

Group Size / BCI No.	Dimensions (L x W x H) inches	Quantity		
34	10.00″ x 6.88″ x 7.63″	4		
24	11.13″ x 6.60″ x 9.25″	4		
27	12.00" x 6.63" x 9.06"	4		
31	12.9″ x 6.75″ x 9.27″	4		
Oversized G31	13.39″ x 6.81" x 11.10"	4		
GC2	10.38" x 7.13" x 10.88"	2		

	•	o	
30.00	· · · · · · · · · · · · · · · · · · ·	O	°
		ponecomp	

